

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2008

Nature	Nature code ²	State govern- ment ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		71,100	9,980	14.0	6,350	8.9	13,590	19.1
Traumatic injuries and disorders	0	66,320	9,260	14.0	6,020	9.1	12,480	18.8
Traumatic injuries and disorders, unspecified	00	3,120	420	13.5	260	8.3	510	16.3
Traumatic injuries to bones, nerves, spinal cord	01	4,930	450	9.1	180	3.7	520	10.5
Dislocations	011	440	20	4.5	—	—	40	9.1
Fractures	012	4,390	420	9.6	170	3.9	460	10.5
Traumatic injuries to nerves, except the spinal cord	014	50	—	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	018	40	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	28,550	3,200	11.2	2,180	7.6	5,240	18.4
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	410	80	19.5	—	—	60	14.6
Sprains, strains, tears	021	28,060	3,120	11.1	2,170	7.7	5,170	18.4
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	80	—	—	—	—	—	—
Open wounds	03	2,950	600	20.3	300	10.2	480	16.3
Open wounds, unspecified	030	50	—	—	—	—	—	—
Amputations	031	40	—	—	—	—	—	—
Amputations, fingertip	0311	30	—	—	—	—	—	—
Animal or insect bites	032	340	60	17.6	90	26.5	50	14.7
Cuts, lacerations	034	2,040	440	21.6	190	9.3	360	17.6
Gunshot wounds	036	20	—	—	—	—	—	—
Punctures, except bites	037	410	100	24.4	—	—	40	9.8
Multiple open wounds	038	20	—	—	—	—	—	—
Open wounds, n.e.c.	039	40	—	—	—	—	—	—
Surface wounds and bruises	04	9,740	2,270	23.3	1,470	15.1	2,060	21.1
Surface wounds and bruises, unspecified	040	20	—	—	—	—	—	—
Abrasions, scratches	041	530	120	22.6	90	17.0	110	20.8
Bruises, contusions	043	8,490	1,890	22.3	1,090	12.8	1,860	21.9
Foreign bodies (superficial splinters, chips)	044	590	250	42.4	290	49.2	40	6.8
Multiple surface wounds and bruises	048	100	—	—	—	—	40	40.0
Burns	05	670	80	11.9	110	16.4	160	23.9
Chemical burns	051	140	30	21.4	30	21.4	40	28.6
Electrical burns	052	20	—	—	—	—	—	—
Heat burns, scalds	053	500	30	6.0	80	16.0	110	22.0
Intracranial injuries	06	550	30	5.5	30	5.5	300	54.5
Intracranial injuries, unspecified	060	20	—	—	—	—	—	—
Concussions	062	530	30	5.7	30	5.7	300	56.6
Effects of environmental conditions	07	150	40	26.7	—	—	—	—
Effects of reduced temperature	071	30	30	100.0	—	—	—	—
Hypothermia	0712	20	—	—	—	—	—	—
Effects of heat and light	072	110	—	—	—	—	—	—
Heat stroke	0721	80	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	4,570	500	10.9	420	9.2	1,100	24.1
Multiple traumatic injuries and disorders, unspecified ..	080	130	20	15.4	—	—	20	15.4
Cuts, abrasions, bruises	081	620	120	19.4	60	9.7	90	14.5
Sprains and bruises	082	2,070	260	12.6	180	8.7	400	19.3
Fractures and other injuries	084	510	50	9.8	—	—	90	17.6

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2008 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Total	10,230	14.4	9,060	12.7	4,870	6.8	17,020	23.9	8	
Traumatic injuries and disorders	9,810	14.8	8,530	12.9	4,520	6.8	15,710	23.7	8	
Traumatic injuries and disorders, unspecified	270	8.7	360	11.5	290	9.3	1,010	32.4	13	
Traumatic injuries to bones, nerves, spinal cord	790	16.0	650	13.2	510	10.3	1,840	37.3	18	
Dislocations	30	6.8	40	9.1	60	13.6	250	56.8	45	
Fractures	740	16.9	610	13.9	420	9.6	1,560	35.5	16	
Traumatic injuries to nerves, except the spinal cord	—	—	—	—	—	—	—	—	6	
Multiple traumatic injuries to bones nerves, spinal cord	—	—	—	—	—	—	—	—	23	
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	4,600	16.1	3,950	13.8	2,080	7.3	7,300	25.6	10	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	60	14.6	50	12.2	50	12.2	110	26.8	11	
Sprains, strains, tears	4,520	16.1	3,890	13.9	2,040	7.3	7,160	25.5	10	
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	20	25.0	—	—	—	—	30	37.5	13	
Open wounds	610	20.7	290	9.8	220	7.5	440	14.9	6	
Open wounds, unspecified	—	—	—	—	—	—	—	—	30	
Amputations	—	—	—	—	—	—	20	50.0	46	
Amputations, fingertip	—	—	—	—	—	—	—	—	46	
Animal or insect bites	90	26.5	40	11.8	—	—	—	—	3	
Cuts, lacerations	370	18.1	200	9.8	110	5.4	370	18.1	6	
Gunshot wounds	—	—	—	—	—	—	—	—	47	
Punctures, except bites	90	22.0	50	12.2	80	19.5	40	9.8	10	
Multiple open wounds	—	—	—	—	—	—	—	—	6	
Open wounds, n.e.c.	30	75.0	—	—	—	—	—	—	7	
Surface wounds and bruises	1,370	14.1	1,140	11.7	370	3.8	1,060	10.9	4	
Surface wounds and bruises, unspecified	—	—	—	—	—	—	—	—	3	
Abrasions, scratches	80	15.1	30	5.7	—	—	90	17.0	3	
Bruises, contusions	1,260	14.8	1,060	12.5	370	4.4	960	11.3	4	
Foreign bodies (superficial splinters, chips)	—	—	—	—	—	—	—	—	2	
Multiple surface wounds and bruises	20	20.0	30	30.0	—	—	—	—	8	
Burns	120	17.9	110	16.4	—	—	80	11.9	5	
Chemical burns	30	21.4	—	—	—	—	—	—	3	
Electrical burns	—	—	—	—	—	—	—	—	11	
Heat burns, scalds	90	18.0	100	20.0	—	—	80	16.0	6	
Intracranial injuries	20	3.6	100	18.2	30	5.5	40	7.3	3	
Intracranial injuries, unspecified	—	—	—	—	—	—	—	—	26	
Concussions	20	3.8	100	18.9	20	3.8	30	5.7	3	
Effects of environmental conditions	50	33.3	—	—	—	—	40	26.7	9	
Effects of reduced temperature	—	—	—	—	—	—	—	—	1	
Hypothermia	—	—	—	—	—	—	—	—	1	
Effects of heat and light	40	36.4	—	—	—	—	40	36.4	9	
Heat stroke	—	—	—	—	—	—	40	50.0	9	
Multiple traumatic injuries and disorders	650	14.2	630	13.8	290	6.3	980	21.4	7	
Multiple traumatic injuries and disorders, unspecified	—	—	—	—	20	15.4	40	30.8	21	
Cuts, abrasions, bruises	100	16.1	70	11.3	40	6.5	140	22.6	7	
Sprains and bruises	290	14.0	360	17.4	150	7.2	430	20.8	9	
Fractures and other injuries	110	21.6	40	7.8	30	5.9	180	35.3	10	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2008 — Continued

Nature	Nature code ²	State govern- ment ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Other combinations of traumatic injuries and disorders, n.e.c.	089	1,240	40	3.2	150	12.1	510	41.1
Other traumatic injuries and disorders	09	11,090	1,670	15.1	1,060	9.6	2,110	19.0
Electrocutions, electric shocks	093	60	—	—	—	—	20	33.3
Other poisonings and toxic effects	095	440	160	36.4	70	15.9	90	20.5
Other poisonings and toxic effects, unspecified	0950	20	—	—	—	—	—	—
Animal or insect bites and stings, venomous	0951	290	130	44.8	50	17.2	70	24.1
Other poisonings and toxic effects, n.e.c.	0959	140	20	14.3	20	14.3	20	14.3
Traumatic complications	096	20	—	—	—	—	—	—
Nonspecified injuries and disorders	097	10,490	1,480	14.1	980	9.3	1,980	18.9
Crushing injuries	0971	520	100	19.2	—	—	120	23.1
Back pain, hurt back	0972	2,130	240	11.3	100	4.7	410	19.2
Soreness, pain, hurt, except the back	0973	6,480	1,030	15.9	770	11.9	1,110	17.1
Multiple nonspecified injuries and disorders	0978	900	60	6.7	80	8.9	160	17.8
Nonspecified injuries and disorders, n.e.c.	0979	460	50	10.9	30	6.5	180	39.1
Other traumatic injuries and disorders, n.e.c.	099	60	20	33.3	—	—	—	—
Systemic diseases and disorders	1	2,380	350	14.7	130	5.5	480	20.2
Nervous system and sense organs diseases	12	1,000	230	23.0	70	7.0	80	8.0
Other disorders of the central nervous system	123	20	—	—	—	—	—	—
Migraine	1232	20	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	830	170	20.5	50	6.0	50	6.0
Carpal tunnel syndrome	1241	820	170	20.7	50	6.1	40	4.9
Disorders of the eye, adnexa, vision	125	110	40	36.4	20	18.2	30	27.3
Conjunctivitis non-viral	1252	40	20	50.0	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	60	20	33.3	—	—	20	33.3
Disorders of the ear, mastoid process, hearing	126	40	—	—	—	—	—	—
Circulatory system diseases	13	220	—	—	—	—	130	59.1
Ischemic heart disease, including heart attack	133	190	—	—	—	—	130	68.4
Myocardial infarction (heart attack)	1331	50	—	—	—	—	—	—
Cerebrovascular disease	136	30	—	—	—	—	—	—
Stroke	1361	30	—	—	—	—	—	—
Respiratory system diseases	14	190	20	10.5	—	—	80	42.1
Pneumonia, influenza	143	20	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	80	—	—	—	—	20	25.0
Extrinsic asthma	1443	40	—	—	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	40	—	—	—	—	—	—
Pneumoconioses	145	20	—	—	—	—	—	—
Asbestosis	1452	20	—	—	—	—	—	—
Other respiratory system diseases	149	50	—	—	—	—	50	100.0
Digestive system diseases and disorders	15	290	—	—	—	—	—	—
Hernia	153	290	—	—	—	—	—	—
Hernia, unspecified	1530	160	—	—	—	—	—	—
Inguinal hernia	1531	80	—	—	—	—	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2008 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Other combinations of traumatic injuries and disorders, n.e.c.	140	11.3	160	12.9	50	4.0	190	15.3	5	
Other traumatic injuries and disorders	1,320	11.9	1,310	11.8	710	6.4	2,910	26.2	7	
Electrocutions, electric shocks	—	—	—	—	—	—	30	50.0	23	
Other poisonings and toxic effects	60	13.6	—	—	—	—	50	11.4	2	
Other poisonings and toxic effects, unspecified	—	—	—	—	—	—	—	—	1	
Animal or insect bites and stings, venomous	—	—	—	—	—	—	30	10.3	2	
Other poisonings and toxic effects, n.e.c.	40	28.6	—	—	—	—	30	21.4	6	
Traumatic complications	—	—	—	—	—	—	—	—	4	
Nonspecified injuries and disorders	1,240	11.8	1,290	12.3	710	6.8	2,820	26.9	8	
Crushing injuries	40	7.7	40	7.7	70	13.5	140	26.9	9	
Back pain, hurt back	290	13.6	210	9.9	110	5.2	770	36.2	11	
Soreness, pain, hurt, except the back	760	11.7	810	12.5	430	6.6	1,570	24.2	7	
Multiple nonspecified injuries and disorders	90	10.0	170	18.9	50	5.6	290	32.2	13	
Nonspecified injuries and disorders, n.e.c.	60	13.0	60	13.0	50	10.9	40	8.7	5	
Other traumatic injuries and disorders, n.e.c.	20	33.3	—	—	—	—	—	—	7	
Systemic diseases and disorders	170	7.1	320	13.4	170	7.1	760	31.9	11	
Nervous system and sense organs diseases	60	6.0	110	11.0	90	9.0	350	35.0	14	
Other disorders of the central nervous system	—	—	—	—	—	—	—	—	7	
Migraine	—	—	—	—	—	—	—	—	7	
Disorders of the peripheral nervous system	50	6.0	110	13.3	80	9.6	320	38.6	16	
Carpal tunnel syndrome	50	6.1	110	13.4	80	9.8	320	39.0	17	
Disorders of the eye, adnexa, vision	—	—	—	—	—	—	—	—	2	
Conjunctivitis non-viral	—	—	—	—	—	—	—	—	1	
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	—	—	—	—	—	4	
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—	20	50.0	73	
Circulatory system diseases	—	—	—	—	—	—	60	27.3	4	
Ischemic heart disease, including heart attack	—	—	—	—	—	—	40	21.1	4	
Myocardial infarction (heart attack)	—	—	—	—	—	—	40	80.0	66	
Cerebrovascular disease	—	—	—	—	—	—	—	—	101	
Stroke	—	—	—	—	—	—	—	—	101	
Respiratory system diseases	40	21.1	30	15.8	—	—	—	—	4	
Pneumonia, influenza	—	—	—	—	—	—	—	—	11	
Chronic obstructive pulmonary disease and allied conditions	30	37.5	—	—	—	—	—	—	7	
Extrinsic asthma	20	50.0	—	—	—	—	—	—	7	
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	—	—	—	—	—	—	—	—	8	
Pneumoconioses	—	—	—	—	—	—	—	—	1	
Asbestosis	—	—	—	—	—	—	—	—	1	
Other respiratory system diseases	—	—	—	—	—	—	—	—	4	
Digestive system diseases and disorders	20	6.9	30	10.3	30	10.3	210	72.4	43	
Hernia	20	6.9	30	10.3	30	10.3	210	72.4	43	
Hernia, unspecified	—	—	—	—	—	—	140	87.5	43	
Inguinal hernia	—	—	20	25.0	—	—	40	50.0	29	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2008 — Continued

Nature	Nature code ²	State govern- ment ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Ventral hernia	1533	20	—	—	—	—	—	—
Hernia, n.e.c.	1539	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	310	30	9.7	—	—	70	22.6
Arthropathies and related disorders (arthritis)	171	20	—	—	—	—	—	—
Dorsopathies	172	40	—	—	—	—	—	—
Dorsopathies, n.e.c.	1729	30	—	—	—	—	—	—
Rheumatism, except the back	173	250	—	—	—	—	70	28.0
Tendonitis	1733	150	—	—	—	—	60	40.0
Rheumatism, except the back, n.e.c.	1739	80	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	360	80	22.2	40	11.1	110	30.6
Infections of the skin and subcutaneous tissue	181	120	—	—	—	—	50	41.7
Infections of the skin and subcutaneous tissue, unspecified	1810	80	—	—	—	—	—	—
Cellulitis and abscess	1812	30	—	—	—	—	30	100.0
Dermatitis	182	210	70	33.3	40	19.0	40	19.0
Contact dermatitis, unspecified	1822	30	—	—	—	—	—	—
Allergic contact dermatitis	1823	80	20	25.0	30	37.5	30	37.5
Irritant contact dermatitis	1824	30	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	30	—	—	—	—	—	—
Infectious and parasitic diseases	2	220	100	45.5	30	13.6	50	22.7
Bacterial diseases	21	30	—	—	—	—	—	—
Other bacterial diseases	219	20	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	2199	20	—	—	—	—	—	—
Viral diseases	22	110	60	54.5	—	—	—	—
Viral diseases, unspecified	220	80	50	62.5	—	—	—	—
Viral diseases of the conjunctiva	226	20	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	2262	20	—	—	—	—	—	—
Other arthropod-borne diseases	23	40	—	—	—	—	—	—
Lyme disease	237	40	—	—	—	—	—	—
Other infectious and parasitic diseases	29	30	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	30	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	910	210	23.1	130	14.3	220	24.2
Symptoms	41	840	210	25.0	120	14.3	200	23.8
Symptoms, unspecified	410	20	—	—	—	—	—	—
General symptoms	411	300	130	43.3	60	20.0	50	16.7
General symptoms, unspecified	4110	20	—	—	—	—	—	—
Loss of consciousness not heat related	4111	100	20	20.0	30	30.0	30	30.0
Dizziness	4114	30	20	66.7	—	—	—	—
Non-specified allergic reaction	4115	90	70	77.8	—	—	—	—
Multiple general symptoms	4118	30	—	—	—	—	—	—
General symptoms, n.e.c.	4119	40	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems	412	50	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	50	—	—	—	—	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2008 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Ventral hernia	—	—	—	—	—	—	—	—	40	
Hernia, n.e.c.	—	—	—	—	—	—	—	—	39	
Musculoskeletal system and connective tissue diseases and disorders	20	6.5	50	16.1	30	9.7	100	32.3	13	
Arthropathies and related disorders (arthritis)	—	—	—	—	—	—	—	—	1	
Dorsopathies	—	—	—	—	—	—	20	50.0	104	
Dorsopathies, n.e.c.	—	—	—	—	—	—	20	66.7	104	
Rheumatism, except the back	20	8.0	40	16.0	20	8.0	80	32.0	13	
Tendonitis	—	—	20	13.3	20	13.3	40	26.7	6	
Rheumatism, except the back, n.e.c.	—	—	20	25.0	—	—	40	50.0	42	
Disorders of the skin and subcutaneous tissue	20	5.6	80	22.2	—	—	30	8.3	4	
Infections of the skin and subcutaneous tissue	—	—	30	25.0	—	—	30	25.0	14	
Infections of the skin and subcutaneous tissue, unspecified	—	—	30	37.5	—	—	30	37.5	14	
Cellulitis and abscess	—	—	—	—	—	—	—	—	3	
Dermatitis	—	—	50	23.8	—	—	—	—	2	
Contact dermatitis, unspecified	—	—	—	—	—	—	—	—	2	
Allergic contact dermatitis	—	—	—	—	—	—	—	—	2	
Irritant contact dermatitis	—	—	—	—	—	—	—	—	1	
Dermatitis, n.e.c.	—	—	—	—	—	—	—	—	1	
Infectious and parasitic diseases	—	—	20	9.1	—	—	20	9.1	2	
Bacterial diseases	—	—	—	—	—	—	—	—	12	
Other bacterial diseases	—	—	—	—	—	—	—	—	5	
Other bacterial diseases, n.e.c.	—	—	—	—	—	—	—	—	5	
Viral diseases	—	—	—	—	—	—	—	—	1	
Viral diseases, unspecified	—	—	—	—	—	—	—	—	1	
Viral diseases of the conjunctiva	—	—	—	—	—	—	—	—	2	
Viral conjunctivitis (ophthalmia)	—	—	—	—	—	—	—	—	2	
Other arthropod-borne diseases	—	—	—	—	—	—	—	—	1	
Lyme disease	—	—	—	—	—	—	—	—	1	
Other infectious and parasitic diseases	—	—	—	—	—	—	—	—	3	
Acariasis (including scabies, chiggers, mites)	—	—	—	—	—	—	—	—	3	
Symptoms, signs, and ill-defined conditions	90	9.9	50	5.5	50	5.5	150	16.5	5	
Symptoms	80	9.5	50	6.0	30	3.6	140	16.7	5	
Symptoms, unspecified	—	—	—	—	—	—	—	—	7	
General symptoms	20	6.7	—	—	—	—	30	10.0	2	
General symptoms, unspecified	—	—	—	—	—	—	—	—	1	
Loss of consciousness not heat related	—	—	—	—	—	—	20	20.0	2	
Dizziness	—	—	—	—	—	—	—	—	1	
Non-specified allergic reaction	—	—	—	—	—	—	—	—	1	
Multiple general symptoms	—	—	—	—	—	—	—	—	3	
General symptoms, n.e.c.	—	—	—	—	—	—	—	—	2	
Symptoms involving nervous and musculoskeletal systems	—	—	—	—	—	—	—	—	5	
Symptoms involving nervous and musculoskeletal systems, n.e.c.	—	—	—	—	—	—	—	—	5	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2008 — Continued

Nature	Nature code ²	State govern- ment ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms involving skin and other integumentary tissue	413	250	30	12.0	20	8.0	70	28.0
Edema (including dropsy)	4131	240	30	12.5	—	—	70	29.2
Symptoms involving head and neck	414	50	—	—	—	—	—	—
Headache, except migraine	4141	40	—	—	—	—	—	—
Symptoms involving cardiovascular system	415	20	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	4150	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	100	20	20.0	20	20.0	50	50.0
Symptoms involving respiratory system and chest, unspecified	4160	50	—	—	20	40.0	20	40.0
Symptoms involving respiratory system and chest, n.e.c.	4169	30	—	—	—	—	20	66.7
Multiple symptoms	418	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	49	50	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	890	20	2.2	20	2.2	210	23.6
Mental disorders or syndromes	52	880	20	2.3	20	2.3	210	23.9
Anxiety, stress, neurotic disorders	521	870	20	2.3	20	2.3	200	23.0
Anxiety, stress, neurotic disorders, unspecified	5210	640	20	3.1	—	—	160	25.0
Post-traumatic anxiety acute	5211	50	—	—	—	—	20	40.0
Neurotic reaction to stress	5214	150	—	—	—	—	30	20.0
Multiple diseases, conditions, and disorders	8	20	—	—	—	—	—	—
Nonclassifiable	9999	350	30	8.6	30	8.6	140	40.0

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, State government, 2008 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Symptoms involving skin and other integumentary tissue	—	—	—	—	20	8.0	90	36.0	8	
Edema (including dropsy)	—	—	—	—	20	8.3	90	37.5	15	
Symptoms involving head and neck	—	—	—	—	—	—	—	—	5	
Headache, except migraine	—	—	—	—	—	—	—	—	5	
Symptoms involving cardiovascular system	—	—	—	—	—	—	—	—	14	
Symptoms involving cardiovascular system, unspecified	—	—	—	—	—	—	—	—	14	
Symptoms involving respiratory system and chest	—	—	—	—	—	—	—	—	4	
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—	—	—	4	
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	—	—	—	—	—	5	
Multiple symptoms	—	—	—	—	—	—	—	—	3	
Symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	20	40.0	—	—	10	
Other diseases, conditions, and disorders	110	12.4	120	13.5	100	11.2	310	34.8	16	
Mental disorders or syndromes	110	12.5	120	13.6	100	11.4	290	33.0	14	
Anxiety, stress, neurotic disorders	110	12.6	120	13.8	100	11.5	290	33.3	14	
Anxiety, stress, neurotic disorders, unspecified	70	10.9	100	15.6	80	12.5	190	29.7	14	
Post-traumatic anxiety acute	—	—	—	—	—	—	20	40.0	16	
Neurotic reaction to stress	40	26.7	—	—	20	13.3	60	40.0	12	
Multiple diseases, conditions, and disorders	—	—	—	—	—	—	—	—	12	
Nonclassifiable	40	11.4	—	—	—	—	70	20.0	5	

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies